

[Continuity of Care is maintained when one care provider links to another care provider, the transition of care is smooth and uninterrupted for the patient, and the essential clinical information is provided.]

Identification

Settings in which at risk youth are identified

Emergency Department

School

Juvenile Justice

Primary Care

Inpatient Psychiatric Hospitalization

Community Program

Community Behavioral Health

Enhancing Linkages

Strategies or services to enhance linkages with the Aftercare/Ongoing Care provider*

- Organizational MOUs, MOAs
- Crisis center follow-up
- Follow-up appointments made within 24 – 72 hours
- Caring contacts
- Warm handoffs
- Community resource listings for Referring Providers
- Continuity of care flow-sheets
- Communications between referring (identification) and referral orgs
- Patient consent protocols
- Informal caregiver involvement in aftercare planning
- Case management

* Can be provided by the Identification organization, Crisis Center organizations, and/or Ongoing Care organizations

Aftercare/Ongoing Care

Settings in which at risk youth receive ongoing care/suicide risk management services

School

Primary Care

Community Behavioral Health

Community Program

[Continuity of Care is maintained when one care provider links to another care provider, the transition of care is smooth and uninterrupted for the patient, and the essential clinical information is provided.]

Identification

Settings in which at risk youth are identified

Emergency Department

School

Culture / Community-Based Intervention

Juvenile Justice

Primary Care

Inpatient Psychiatric Hospitalization

Community Behavioral Health

Enhancing Linkages

Strategies or services to enhance linkages with the Aftercare/Ongoing Care provider*

- Organizational MOUs, MOAs
- Crisis center follow-up
- Follow-up appointments made within 24 – 72 hours
- Caring contacts
- Warm handoffs
- Community resource listings for use by referring providers
- Continuity of care flow-sheets
- Communications between referring (identification) and referral orgs
- Patient consent protocols
- Informal caregiver involvement in aftercare planning

* Can be provided by the Identification organization, Crisis Center organizations, and/or Ongoing Care organizations

Aftercare/Ongoing Care

Settings in which at risk youth receive ongoing care/suicide risk management services

School

Culture / Community-Based Intervention

Primary Care

Community Behavioral Health

[Continuity of Care is maintained when one care provider links to another care provider, the transition of care is smooth and uninterrupted for the patient, and the essential clinical information is provided.]

Identification

Settings in which at risk youth are identified

Emergency Department

Campus Counseling

Campus Health Clinic

Campus Teams (e.g. BIT)

Inpatient Psychiatric Hospitalization

Informal Sources (faculty/friends)

Enhancing Linkages

Strategies or services to enhance linkages with the Aftercare/Ongoing Care provider*

- MOUs – on campus
- MOUs – off campus
- Crisis center follow-up
- Follow-up appointments made within 24 – 72 hours
- Caring contacts (e.g., postcards)
- Warm handoffs
- Community resource listings for use by referring providers
- Continuity of care flow-sheets
- Communications between identification and aftercare providers
- Patient consent protocols
- Informal caregiver involvement in aftercare planning
- Case management

* Can be provided by the Identification organization, Crisis Center organizations, and/or Ongoing Care organizations

Aftercare/Ongoing Care

Settings in which at risk youth receive ongoing care/suicide risk management services

Campus Counseling

Campus Health Clinic

Community Behavioral Health

Disability Services